

Mihom News

March is National Nutrition Month

Healthy Nutrition as an Intervention for Preventing and Treating Chronic Disease

By Bridgitte Broxton FNP-C, CDE, CWCN



Volume 6, Issue 1

Mar-Apr 2014

Mihom Healthcare Inc

2100 SE Hillmoor Drive

Suite 102

Port St Lucie, FL. 34952

Phone: 772-873-3838

1- 877-MIHOM-15

Fax: 772-873-3839

National Nutrition Month reminds us to focus on the importance of being accountable for the foods we eat. As the saying goes, "we are what we eat". Realistically speaking, most of us wait until there is a problem and we are told by a physician to modify our eating habits. So we start restricting salt when we are diagnosed with hypertension and start eating low fat when we are told our cholesterol levels are high. Yet studies have shown that following a nutritiously sound diet, consisting of a variety of nutrients can help to prevent chronic disease. This is true even when genetics seemingly paves the way for chronic disease such as heart disease and diabetes. Proper nutrition can alter the path by reducing risk factors for developing the disease.

Advances in modern medicine have allowed for the world population to live longer. However, medical problems remain a common concern for the older population. Cardiovascular disease (CVD) can be manifested in a variety of disorders of the heart and blood vessels. CVD is still the leading cause of death and disability in the United States. Clinical evidence shows that most cardiovascular disease can be helped by controlling blood pressure and body weight. If you are diagnosed with hypertension, your physician or practitioner may prescribe an anti- hypertensive medication. In addition, you will be advised to limit salt intake and lose weight. The American Heart Association advocates the " DASH" diet (Dietary Approaches to Stop Hypertension), which is basically high in fruits and vegetables, as well as low- fat dairy foods. The National Heart, Lung and Blood Institute (NHLBI) has conducted multiple studies, which have demonstrated that "Blood pressures were reduced with an eating plan that is low in saturated fat, cholesterol, and total fat. It further emphasizes fruit, vegetables, and fat free or low fat milk products (NHLBI,2006). The DASH plan recommends that sodium be restricted to 1500 to 2300 mg per day, potassium should comprise 4700 mg, calcium 1250 mg and magnesium 500 mg, and fiber 30 grams (NHLBI,2006). It is recommended that we read labels to determine what is in foods that we eat. While your physician may recommend the DASH diet, one should never stop taking blood pressure medication until told to do so by your provider. Additionally, combining the DASH meal plan with regular physical activity will enhance weight loss and blood pressure control. For specific details about the DASH meal plan you may contact the NHLBI Health Information Center at 301-592-8573 or email them at: nhlbiinfo@nhlbi.nih.gov. Tips to reduce salt and sodium include: rinsing canned foods

Cont pg2

We're on the Web!

www.mihom.com

Inside this issue:

Nutrition Article	1
Patient Advocacy	1
Continue Article	2
Cont Advocacy Art.	3
Recipe	3
Puzzle	4
Mihom Info	4

Patient Advocacy Chronicles

Question: My husband recently had triple bypass surgery and he has diabetes. After his heart surgery he lost about 18 pounds over 2 months. His appetite is now back to what it was, but his cardiologist advised him to not gain any more weight. His activity is limited . I am concerned about how I can stop the weight gain.

Response: What does your husband eat on a typical day for his meals?

Answer: For breakfast he usually has 2 cups of oatmeal, 1banana, and 6 ounces of orange juice .For lunch, he has a tuna sandwich, and an 8 ounce meal supplement shake, mixed with 1 cup of strawberries.

Cont Page 3



such as tuna and beans to remove some of the sodium content, using spices instead of salts (herbs, lemon, lime, vinegar, or salt free seasoning blends), eliminating flavored rice and pasta, as well as cereal mixes, which usually have added salt.

According to the American Cancer Society, 76% of cancers are diagnosed in adults age 55 and older (American Cancer Society, 2004). Obesity is linked to increased risk of many cancers, such as breast and colon cancer. Recommendations from the American Cancer Society promote eating whole grains instead of processed grains and sugars, as well as reducing the consumption of meat, especially if it's high in fat or processed (2004).

The American Diabetes Association states, "More than 18 percent of people age 60 and older have diabetes (2004). Nutrition therapy goals for people with diabetes are to "maintain blood glucose levels as close to normal as possible, to achieve blood sugar, lipid profile and blood pressure levels that reduce the risk of cardiovascular disease, prevent and treat complications and improve general Health (ADA, 2004)." Even weight loss of just 5 to 7 % of total body weight can delay the development of diabetes in those who are overweight and have impaired fasting glucose. Health care providers, such as Dietitians and Certified Diabetes Educators (CDEs) can provide guidance on the nutrition and lifestyle changes that are recommended to achieve established treatment goals.

Osteoporosis is a disease characterized by low bone mass, which seems to begin after the age of 30. It usually becomes advanced following menopause. According to Bales, Fischer, and Orenduff, risk factors for osteoporosis include having a low bone mass, advanced age, being female, having a family history, low calcium and vitamin D intakes, inactivity, having a small frame, smoking, excessive alcohol consumption, and the use of certain medications, such as corticosteroids. There is good evidence that increasing calcium and vitamin D through food and supplements can help prevent bone fractures and loss of bone mass. Your physician can order lab tests to determine if you are deficient in calcium and vitamin D. A Bone Mineral Density Test is needed to make the diagnosis of Osteoporosis or Osteopenia (bone loss of a lesser degree).

Chronic Obstructive Pulmonary Disease (COPD) refers to conditions that cause airflow blockage and breathing difficulties, such as emphysema, and chronic bronchitis. Tobacco use is a key factor in developing COPD. Often patients with COPD experience unintentional weight loss because they expend increased energy for metabolism. Nutritional goals in this case are to increase caloric intake to prevent further weight loss. They may need frequent snacks, high caloric drinks and liquid meal supplements.

Nutritional strategies can be used to treat a variety of conditions. Often they may be used as an adjunct to medications prescribed by your provider to delay or prevent the most common age related disorders. This article attempts to summarize recommendations for the most common age re-

lated conditions. Yet it should be mentioned that due to the increasing prevalence of obesity, Americans are being diagnosed with these conditions, such as diabetes and heart disease prematurely. Proper nutrition can be an effective intervention for preventing chronic diseases before they develop. Your practitioner can recommend a nutritionist to provide more detailed information for any of these and many other medical conditions.

We contacted a Registered and Licensed Dietitian, Beth Morlang. We asked her: What suggestions do you have for someone who has hyperkalemia? Ms. Morlang stated "Avoiding common high potassium foods like bananas, oranges, orange juice, potatoes, tomatoes, avocados and melons are simple dietary changes that can help lower potassium. Also, constipation can cause hyperkalemia. Hyperkalemia is fairly rare and usually seen in Chronic Kidney Disease. Increasing dietary fiber including raw- low-potassium fruits and vegetables can help keep bowels moving and prevent constipation. If diet alone does not relieve constipation, patients should discuss the use of daily fiber supplements and/or stool softeners with their MD. She also stated that Magnesium also plays a role in the active transport of calcium and potassium ions across cell membranes a process that is important to nerve impulse conduction, muscle contraction and normal heart rhythm. "Ms. Morlang states that Phosphorus is essential to bone health, in conjunction with calcium. It is a very common element in many food. These include high protein foods, including beef, poultry, fish, pork and dairy. Some prepackaged foods also contain phosphorus additives used as natural preservatives." The kidneys regulate the excretion of both Magnesium and Phosphorus. Unless a patient had Chronic Kidney disease or a disorder of calcium metabolism, phosphorus control is not needed. Magnesium supplements should be discussed with your MD before it is started.

Beth Morlang, RD, LD graduated from Cedar Crest College in Allentown PA. She is currently a consultant for Nephrology Associates and can be reached at:

beth.morlang@davita.com

Bibliography References

- American Diabetes Association. (2004). Nutrition principles and recommendations in diabetes. *Diabetes Care*, 27, 36-46.
- Bales, C. W., Fischer, J. G., & Orenduff, M. C. (2004). Nutritional interventions for age-related chronic disease. *Generations*, 54
- Brus, J., Schols, A., & Mesters, I. (2004). Dietary change, nutrition, education and chronic obstructive pulmonary disease. *Patient Education Counselor*, 52, 249-257.
- Cancer facts and figures. (2004). Retrieved from www.cancer.org/downloads/STT/CAFF.finalPWSecured.pdf
- Diabetes statistics for seniors. (2004). Retrieved from www.diabetes.org/diabetes-statistics/seniors.jsp
- National Diabetes Education Program. (2004). Guiding principles for diabetes care for health care providers. Retrieved from www.ndep.nih.gov
- National Heart, Lung and Blood Institute (2006). *Your guide to lowering your blood pressure with DASH*. : NIH Publications, No. 06-4082.

Marinated Fresh Vegetable Salad

Ingredients:

- 2 cups Celery**
- 2 cups thin sliced Cauliflower**
- 2 cups halved cherry tomatoes**
- 2 cups thinly slice carrots**
- 2 cups sliced cucumber**
- 1 med onion, thinly sliced into rings**



Dressing:

- 3/4 cup olive oil**
- 1/2 cup minced fresh parsley**
- 3 tbsp white wine vinegar**
- 1 garlic clove, minced**
- 1 tsp salt**
- 1 tsp ground mustard**
- 1/8 tsp pepper**

Directions:

In a large serving bowl, combine all vegetables. In a small bowl, whisk the dressing ingredients. Pour over vegetables and gently toss to cover all the veges. Chill for at least 2 hours or overnight. Yields 12 servings. 3/4 cup = 130 calories

Patient Advocacy Chronicles (cont from page 1)

For dinner, baked chicken, a cup of rice, and broccoli and 2 cups of sugar free ice-cream.

Before bed he likes another shake with a cup of blueberries, mixed with another can of liquid meal supplement and a handful of nuts.

Response: It appears he is eating too much carbohydrate with each meal. For breakfast you are giving him adequate calories with the oatmeal. If he is eating adequately, he does not need the liquid meal replacement because it is too high in calories. Also, for breakfast it would be better to give him an orange than the fruit juice because there's less sugar and more fiber. Caution with too many nuts, as they belong to the fat group and are high in calories. (Fats are 9 calories per gram,

while carbohydrates are 4 calories per gram). If he is not active he may not be burning them off as readily as someone who exercises regularly. The ice cream, though it may be "sugar free" still is a carbohydrate, so it gets broken down as sugar. Also, many "sugar free" products contain more fat than the regular product. It's best to read the label to decide the appropriate amount. Two cups of the ice-cream is probably too much if you are trying to lose weight. Remember, in order to lose one pound, you need to subtract 3500 calories either by dieting, exercising or both!

Question: My cholesterol was over 200 and my provider started me on cholesterol medication. After taking the medication for approximately 6 months, my total cholesterol is 180, my HDL is 50,

and my LDL is 89. My triglycerides were 170. My physician tells me that the triglycerides are still a bit too high. How do I get them down?

Response: Triglycerides can become high as a result of excessive caloric intake. So they can be reduced by cutting back on calories and by achieving weight loss. Also, fish oil (over the counter) in the amount of 4 grams per day can help to reduce triglycerides.



NON-STARCHY VEGES!

Best Care from Mihom to Yours...

B E E T S T U N T S E H C S C
 Q R S B M O S U G A R A P S A
 X B O R F N E X R T U U P F B
 K H V C E P G I M L U M T H B
 D D T U C P G N I E D A G V A
 G F S C H O P F P J G V R N G
 H N M U K B L E T T U C E K E
 C E C M F O A I P Y T T E E O
 S A B B W O N Y R E P H N P C
 N P R E A X T U R N I P S L P
 O E R R A D I S H E S A Q B K
 I Z E O O N B D E U L I N T B
 N Y T B U T S Y B A S E L C C
 O T A M O T S Q D B M G C H T
 R A W G I Q S O T V I Z F L Q

- ASPARAGUS
- BEANS
- BEETS
- BROCCOLI
- CABBAGE
- CARROTS
- CAULIFLOWER
- CELERY
- WATER CHESTNUTS
- CUCUMBER
- EGGPLANT
- GREENS
- LETTUCE
- OKRA
- ONIONS
- PEPPERS
- RADISHES
- SALAD
- SPROUTS
- TOMATO



MIHOM Healthcare is a Medicare Certified Agency servicing:
 Indian River, Martin, Okeechobee, Palm Beach and Saint Lucie Counties.

Our Services include:

- ♥ Skilled Nursing Speech Pathology ©
- ♥ Physical Therapy Occupational Therapy ©
- ♥ Professional Care Management Medical Social Work ©
- ♥ Home Health Aide Hourly Private Duty ©
- ♥ In-home Telemonitoring

We accept Medicare, Major Insurance, Managed Care Network Providers,
 Workman's Comp, Long Term Insurance and Private Pay.

We will provide a current list of insurances upon request!

We are available 24/7 to meet your home care needs!